

# SAFETY DATA SHEET

According to 2015/830/EC

## CEKOL GS-200

Date of issue: 20.10.2019

Revision:

Page: 1/8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: **CEKOL GS-200**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**CEKOL GS-200** – plaster suitable for plastering and smoothing indoor walls before painting.

#### 1.3. Details of the supplier of the safety data sheet

CEDAT Sp. z o. o.  
ul. Budowlanych 19  
80-298 GDAŃSK  
Tel./ fax +48 (58) 768 21 00  
48 (58) 768 21 40

#### 1.4. Emergency telephone number

Tel/ fax +48 (58) 768 21 13, Poland

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 (CLP)**  
Not classified

#### 2.2. Label elements

**Labeling according to Regulation (EC) No 1272/2008**

**Pictograms:** none

**Signal word:** none

**Additional information:**

none

**Hazard statements**

none

**Precautionary statements**

**General**

none

**Prevention**

none

**Storage**

none

**Disposal**

none

#### 2.3. Other hazards

PBT: Not applicable. vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

# SAFETY DATA SHEET

According to 2015/830/EC

## CEKOL GS-200

Date of issue: 20.10.2019

Revision:

Page: 2/8

### 3.2 Mixture

CEKOL GS-200 is a mixture of calcium sulfate and calcium carbonate and modifiers

Name of substance	Identifier	Classification 12c2/2008	% weight
Calcium sulfate	Index --- CAS 7778-18-9 EC: 231-900-3 Reg. No: 01-2119444918-26-xxxx	-- --	5 ÷10
Calcium Carbonate	Index --- CAS 471-34-1 EC: 207-439-9 REACH No: ---	--- ---	90 ÷95

The full meaning of the risk phrases H included in the chapter 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

Special individual equipment for emergency responders is not required. In case of any worrying symptoms, seek medical advice.

##### Inhalation dust:

In case of exposure of respiratory tract, stop working, move the affected person from the working area and ensure that they breathe fresh air. Seek medical advice in case of irritation or symptoms of discomfort such as coughing or similar.

##### Ingestion:

Do not give anything to drink to an unconscious or befuddled person; if the person is conscious, rinse their mouth and provide them with water to drink. Do not induce vomiting due to the risk of aspiration and the contents of the stomach might enter the lungs. In case of any worrying symptoms, seek medical advice.

##### Eye contact with dust:

Do not rub eyes, remove contact lenses; immediately rinse eyes with plenty of water for approximately 15 minutes (holding eyelids open); avoid strong water jet as it might damage cornea. In case of contamination of one eye. protect the other eye from contamination during rinsing. If irritation symptoms persist, seek medical advice.

##### Skin contact with dust:

Remove contaminated clothing, rinse skin with water and soap, then dry. If symptoms of irritation persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

The mixture includes finely ground dust, which might mechanically irritate the eyes, the respiratory tract and the skin as a consequence of prolonged and repeated exposure

Skin exposure - possible dryness and redness

Eye exposure - possible skin dryness and redness

After inhalation - the dust might cause coughing and irritate the respiratory tract

After swallowing - might cause stomach ache and nausea

#### 4.3. Indication of any immediate medical attention and special treatment needed

Medical help should be based on the physician's appraisal and the patient's reactions. Please follow the instructions given in section 4.1.

## SAFETY DATA SHEET

According to 2015/830/EC

### CEKOL GS-200

Date of issue: 20.10.2019

Revision:

Page: 3/8

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

Use fire extinguishing measures appropriate for the given surroundings

##### 5.2. Special hazards arising from the substance or mixture

Threats resulting from the properties of the product, the products of combustion, the resultant gases - Not known

##### 5.3. Advice for firefighters

Personal protection equipment for fire-fighters. Use equipment appropriate for the given type of fire. No special firefighting equipment is necessary on account of the product.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

Do not inhale the dust  
Avoid eye exposure  
Avoid dust formation.  
In case of contamination rinse eyes with plenty of water  
Avoid skin exposure  
Personal protective equipment according to item 8.2.2

##### 6.2. Environmental precautions

Avoid dust formation. Avoid penetration of large amounts of the mixture to the sewage system, surface and groundwater.

##### 6.3. Methods and material for containment and cleaning up

Damaged packaging should be secured and placed inside another tight container. We recommend collecting the product mechanically. Do not clean up with a dry brush. Do not create dust. In order to avoid dust formation you can use industrial vacuum.

##### 6.4. Reference to other sections

Section 8.2 in order to obtain information on personal protective equipment  
The collected material can be removed according to the applicable provisions and processed according to section 13.

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

Observe OHS rules  
Use in well (mechanically or gravitationally) ventilated rooms;  
Keep away from children;  
Avoid dust formation;  
Avoid eating and drinking during use;  
Avoid inhaling the dust;  
Use personal protective equipment: personal protective equipment according to item 8.2.2.

##### 7.2. Conditions for safe storage, including any incompatibilities

Stored the mixture in tight packaging;  
Protect against atmospheric agents;  
It is recommended to store the substance in its original packaging;  
The bags should be stored in an arrangement which ensures their stability;  
Indications for storage: Avoid moisture, it causes clumping of the product, which is then no longer fit for its purpose

##### 7.3. Specific end use(s)

No applications other than those identified in Section 1

## SAFETY DATA SHEET

According to 2015/830/EC

### CEKOL GS-200

Date of issue: 20.10.2019

Revision:

Page: 4/8

#### SECTION 8: Exposure controls/personal protection

##### 8.1. Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

Substance	CAS Number	Long-term exposure Limit (8-hr TWA reference period)		Short-term exposure limit (15 minute reference period)	
		ppm	mg.m <sup>-3</sup>	ppm	mg.m <sup>-3</sup>
Calcium carbonate inhalable dust respirable	1317-65-3	-	10	-	-
		-	4	-	-

Calcium carbonate

DNEL

Route of exposure	Effects of exposure	Workers	DNEL Consumers
Through the digestive tract	acute, local	not required	No threat identified
	acute, systemic	not required	6.1 mg / kg body weight
	chronic, local	not required	No threat identified
	chronic, systemic	not required	6.1 mg / kg body weight
Through inhalation	acute, local	No threat identified	No threat identified
	acute, systemic	No threat identified	No threat identified
	chronic, local	No threat identified	No threat identified
	chronic, systemic	10 mg/dm <sup>3</sup>	10 mg/dm <sup>3</sup>
<b>Aim: environmental protection</b>	<b>PNEC</b>		<b>Remarks</b>
<b>Water environment and air</b>	No data		No data
<b>Freshwater and marine sediments</b>	No data		No data
<b>Soil</b>	No data		No data
<b>Micro-organisms involved in wastewater treatment</b>	100 mg/dm <sup>3</sup> / NOEC; AF=10		No data

##### 8.2. Exposure controls

Do not eat, drink or smoke during work so as to avoid exposure to skin or mouth. Use protective cream regularly before starting work. Use in well (mechanically or gravitationally) ventilated rooms. After work with product all employees should wash their bodies using soap and cream. Remove contaminated clothing, footwear, watches and clean them before wearing again.

**Respiratory tract protection** – in case of dust use disposable dust masks

**Eye protection** – protective goggles or EN 166 goggles

## SAFETY DATA SHEET

According to 2015/830/EC

### CEKOL GS-200

Date of issue: 20.10.2019

Revision:

Page: 5/8

**Hand protection** – use protective gloves, impermeable and resistant to alkaline environment, use protective creams.

**Skin protection** – use protective workwear fully covering the skin: long trouser and long sleeves, protective footwear, use protective creams. Remove contaminated clothing, rinse skin with water and soap.

#### **Environmental exposure control**

Application of the product in line with its intended purpose does not pose a threat to the natural environment. Avoid penetration of large amounts of the mixture to the sewage system, surface and groundwater. Avoid dust formation.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance:</b>	Powder
<b>Odour:</b>	Odorless
<b>Odour threshold:</b>	Not available
<b>Colour:</b>	Beige
<b>pH:</b>	6-7 (in water at 20°C)
<b>Melting / Freezing Point:</b>	Not data available
<b>Initial boiling point and boiling range:</b>	Not data available
<b>Flash point:</b>	Not data available
<b>Evaporation rate:</b>	Not applicable
<b>Flammability (solid, gas):</b>	Not applicable
<b>Upper/lower flammability or explosive limits:</b>	Not data available
<b>Vapour pressure:</b>	Not data available
<b>Vapour density:</b>	Not applicable
<b>Relative density:</b>	Not applicable
<b>Bulk density of the mixture:</b>	900 kg/m <sup>3</sup> ±5%
<b>Solubility(ies):</b>	Mixture of mineral compounds, slightly dissolved in water
<b>Partition coefficient: n-octanol/water:</b>	Not applicable
<b>Auto-ignition temperature:</b>	No data
<b>Decomposition temperature:</b>	> 700 °C
<b>Viscosity:</b>	Not applicable. Solid.
<b>Explosive properties:</b>	Non explosive
<b>Oxidising properties:</b>	No oxidizing properties

#### 9.2. Other safety information

No data

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Calcium magnesium carbonate reacts with acids

#### 10.2. Chemical stability

Product is stable in normal storage and application conditions

#### 10.3. Possibility of hazardous reactions

Calcium magnesium carbonate reacts with acids to release carbon dioxide (CO<sub>2</sub>)

#### 10.4. Conditions to avoid

High temperature (> 700°C)

#### 10.5. Incompatible materials

Strong acids decompose calcium magnesium carbonate

#### 10.6. Hazardous decomposition products

# SAFETY DATA SHEET

According to 2015/830/EC

## CEKOL GS-200

Date of issue: 20.10.2019

Revision:

Page: 6/8

Under normal conditions not known.

Gypsum (calcium sulfate) decomposes at 1450 °C forming sulfur trioxides and calcium oxides.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

The product has not been subject to toxicological tests. The assessment of the risks it presents to human health has been made according to the rules defined for mixtures.

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

##### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

##### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

##### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

##### Carcinogenicity

Based on available data, the classification criteria are not met.

##### Reproductive toxicity

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1. Toxicity

##### Acute toxicity

Calcium sulfate: Not known - it is not harmful to the environment.

Toxicity to aquatic organisms	Effective dose	Exposure time	Species	Method	Rating	Comments
Acute toxicity to fish	LC50 > 79 mg/l	96 h	Japanese rice fish	OECD 203	Harmless to proven dose	LIMIT test
Acute toxicity to daphnia	EC50 > 79 mg/l	48 h	Daphnia magna	OECD 202	Harmless to proven dose	LIMIT test
Acute toxicity to algae	E50 > 79 mg/l	72 h	Selenastrum capricornutum	OECD 201	Harmless to proven dose	LIMIT test
Toxicity to activated sludge organisms in sewage treatment plant	EC50 > 790 mg/l	3 h	Activated sludge	OECD 209	Harmless to microorganisms	

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

Calcium sulfate - not applicable.

# SAFETY DATA SHEET

According to 2015/830/EC

## CEKOL GS-200

Date of issue: 20.10.2019

Revision:

Page: 7/8

Calcium carbonate - it is hardly soluble in water and therefore has low mobility in most soils

### 12.5. Results of PBT and vPvB assessment

Material does not meet the criteria for PBT or vPvB in accordance with REACH Annex XIII.

### 12.6. Other adverse effects

Do not allow to enter waters, waste water or soil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Product:

In case of release of dry mass, collect it mechanically.

After contact with water, product is not classified as hazardous and can be treated as construction waste and road infrastructure waste. **Waste code:** 17 01 80

Disposal of the mixture: dispose in accordance with applicable regulations.

Do not dispose of the mixture into the sewage system.

Keep residues in sealed, steel containers.

Disposal of used packages: packaging waste recycling / disposal must be carried out according to applicable regulations. Only completely emptied packages may be recycled. Classification of this waste type observes the requirements for hazardous waste.

#### Package:

- Only completely empty and clean packaging can be recycled

- Disposal in accordance with applicable regulations:

Packaging –

Waste code: 15 01 01 - paper and cardboard packaging

## SECTION 14: Transport information

14.1. UN number	not applicable
14.2. UN proper shipping name	not applicable
14.3. Transport hazard class(es)	not applicable
Label no. :	not applicable
14.4. Packing group	not applicable
14.5. Environmental hazards	No
14.6. Special precautions for user	not applicable
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1272/2008 (CLP) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (REACH)
- REGULATION (EC) No 1907/2006 OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

## SAFETY DATA SHEET

According to 2015/830/EC

### CEKOL GS-200

Date of issue: 20.10.2019

Revision:

Page: 8/8

- COMMISSION REGULATION (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

#### 15.2. Chemical safety assessment

No data

#### SECTION 16: Other information

##### The importance of risk phrases in Section 3:

---

##### Abbreviations and Acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

PP: Severe Marine Pollutant

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS Chemical Abstracts Service (division of the American Chemical Society)

##### Note to readers

The information in this SDS is based on our current knowledge and the current legislation.

The product shall not, without first obtaining written Instructions for purposes other than those mentioned in Section 1 purpose be used. It is always the user's responsibility to ensure compliance with statutory Provisions to ensure.

The information in this Safety Data Sheet describing the safety requirements for our product.

Przedsiębiorstwo EKOS s.c.

80-266 Gdańsk, al. Grunwaldzka 205/209

[www.ekos.gda.pl](http://www.ekos.gda.pl)

[ekos@ekos.gda.pl](mailto:ekos@ekos.gda.pl)

tel: +48 58 305 37 46